COZEAN PELVIC DYSFUNCTION SCREENING PROTOCOL

INSTRUCTIONS: CHECK ALL THAT APPLY

| I sometimes have pelvic pain (in genitals, perineum, pubic or bladder area, or pain with urination) that exceeds a '3' on a 1-10 pain scale, with 10 being the worst pain imaginable |
|--|
| I can remember falling onto my tailbone, lower back, or buttocks (even in childhood) |
| I sometimes experience one or more of the following urinary symptoms • Accidental loss of urine • Feeling unable to completely empty my bladder • Having to void within a few minutes of a previous void • Pain or burning with urination • Difficulty starting or frequent stopping/starting of urine stream |
| I often or occasionally have to get up to urinate two or more times at night |
| I sometimes have a feeling of increased pelvic pressure or the sensation of my pelvic organs slipping down or falling out |
| I have a history of pain in my low back, hip, groin, or tailbone or have had sciatica |
| I sometimes experience one or more of the following bowel symptoms |
| Loss of bowel control Feeling unable to completely empty my bowels Straining or pain with a bowel movement Difficulty initiating a bowel movement |
| I sometimes experience pain or discomfort with sexual activity or intercourse |
| Sexual activity increases one or more of my other symptoms |
| Prolonged sitting increases my symptoms |
| |

IF YOU CHECKED 3 OR MORE CIRCLES, PELVIC FLOOR DYSFUNCTION IS LIKELY